June-04-12 1:23:58 PM

Item ID: Revision ID:	D350-607-51	1		Accept	*N900	040	1100	<b>)*</b> s	Setup Star	1.71	S1*
Item Name:	Quick Release	Basket Mounting Insta	llation						Sto	*N	S2*
Start Date: Required Date:	04/06/2012 : 18/06/2012	Start Qty: 1.00 Req'd Qty: 1.00	*1* *1*		Cust Item I Customer:	ID:					
Reference:			•					•			
Approvals:	Process Plan	1: MLJ	Date: \2\06	Tooling:	Da	ate:		F	Run Stai Sto	1/1	R1*
	QC:		Date:	<b>SPC (Y/N):</b>	Da	ate:			50	" *N	R2*
Sequence ID/ Work Center II		Operation Description	<del></del>	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
Draw Nbr	Revis	sion Nbr						** *			
D350-607-3	A		v <0 ·								Λ
*100		DOCUMENT CONTRO	O4	0.00		•					N 12 06 12
DC		Memo		0.00					^		
Document Control	•	Photocopy b	duefile & type labels pe	r PPPD350-607-511 CHG002				12	144	MUJ	N 1206 12 12-6-11
140		Pick Kit		0.00							•
*140* Packaging Packaging		Memo		0.00				/x			12-6-11.
											10 0 1
*150		QC4- 100% Inspect kits	for completeness	0.00				١			1206
QC Quality Control		Memo		0.00							INT IGOR .

Dart	<b>Aeros</b>	pace	Ltd

W/O:	ľ		W	ORK ORDER CHANG	GES					
DATE	STEP	PR	OCEDURE CH	ANGE		Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval <sup>2</sup> QC Inspector
<del></del>							·····			
Part No	:	PAR #:	Fault Cat	egory:	NCI	R: Yes	No <b>DQ</b>	A:	Date: _	
	Re	esolution:	Dispositi	on:	QA:	N/C Clo	sed:		Date: _	
NCR:			WORK ORI	DER NON-CONFORM	ANCE	(NCR	)			
DATE	E STED DESCRIPTION OF NC		ction B	Sign &		cation	Approval	Approval		
	J	Section A	Initial Chief Eng	Action Description Chief Eng		Date	Sect	ion C	Chief Eng	QC Inspector
	1 1	_	1 1		1		ı		ľ	

June-04-12 1:23:58 PM

Item ID:

D350-607-511

Accept

\*N900040100\*

Setup Start

**Revision ID:** 

Item Name:

Quick Release Basket Mounting Installation

Req'd Qty: 1.00

**Start Date:** 04/06/2012 **Required Date:** 18/06/2012

Start Qty: 1.00

**Cust Item ID:** 

**Customer:** 

Tool ID

Reference:

Approvals:

Process Plan:

Date:

**Tooling:** 

Date:

Run

QC:

Date:

SPC (Y/N):

Date:

Sequence ID/ Work Center ID Operation **Description** 

Set Up/ **Run Hours** 

Tool#

Plan Accept Qty Code

Reject Qty

Reject Number

Insp. Stamp

\*160\*

Packaging

Packaging

Memo

0.00

0.00

Packaging

Identify and pack for shipping as per PPP D350-607-511

QC21- Final Inspection - Work Order Release

170

160

\*170\*

QC Quality Control

Memo

0.00

0.00

V 120412

Dart Aerospace Ltd	Da	art	Aer	osr	ace	: Ltd
--------------------	----	-----	-----	-----	-----	-------

-u	. oopaot	Liu									
W/O:			V	VORK C	RDER CHANG	ES				9	
DATE	STEP	PRO	OCEDURE CI	HANGE			Ву	Date 3	. Qty	Approval Chief Eng / Prod Mgr	Approval ©
						19.00					
						1				, who .	·
	<i>'</i>					.					
									,		
				-						*	
Part No	<u> </u>	PAR #:	Fault Ca	ntegory: _		_ NCF	R: Yes I	No DQA	\:	Date:	<u> </u>
	R	esolution:	Disposi	tion:		_ QA:	N/C Clo	sed:		Date: _	<del></del>
NCR:			WORK OR	DER NO	N-CONFORMA	ANCE	(NCR	)			
DATE	STEP	Description of NC			tive Action Secti	on B		Verific	ation	Approval	Approval
DAIL	SILF	Section A	Initial Chief Eng	A	ction Description Chief Eng		Sign & Date	Section	n C	Chief Eng	QC Inspector
		·									
			¥1				•				
										-	
							•				

# Picklist Print

June-04-12 1:24:02 PM

Work Order ID: 85133

\*85133\*

Parent Item:

D350-607-511

\*D350-607-511\*

Parent Item Name: Quick Release Basket Mounting Installation

**Start Date:** 04/06/2012

**Required Date:** 18/06/2012

Start Qty: 1.00

Required Qty: 1.00

		IPP REV:A NEW	ISSUE 10-06-28 J	JLM V	ERIFIED BY	: LL								
	Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
1	*D3910-3* Crosstube Lug	*	Manufactured	No		·-·	140	Each	32.0000	**	4			
					Location		Loc	<u>Oty</u>	Loc Code					
					st507		•	32		_	717			
<b>/</b> 4	D3984		Manufactured	No	_	81574	140	32 f	243.4840	_	7/	. 3-1		•
/•	*D3984*		Manufactured	110	*-			1	243.4640	**		$\mathcal{N}_{\mathcal{N}_{\mathcal{N}}}$		
	Rubber Extrusion, Crosstub	e									·	SY		
					<b>Location</b>		Loc (	Qt <u>y</u>	Loc Code					
					ST080	x*	243	.484		_				
	CUT (8) AT 3.00" LONG					53707	243	.484			- JX	S ~~	^	
	D4148-040		Manufactured	No			140	Each	6.0000	0	1			
	*D4148-04	11*	A. M. M.				. •			**		ė.		
	Crosstube Lug Assembly, Fu		Alab Sec.				`							
					Location		Loc (	<u>Oty</u>	Loc Code					
					ST468			6				·		
	D4149±041		Man Cont 1	No		84191	1.40	6	4.0000		<del>/×</del>	2 1		
1	*******	4.4.4	Manufactured	No			140	Each	4.0000	**	1	_ 17	,	
\	~1)4149-()2 Crosstube Lug Assembly, Al	<b>11</b> *								~ <del>~</del>	E	DI	- 0	-//
	,,	•			Location	•	Loc (	<u> Dty</u>	Loc Code			V		•
					ST468			4			· .			
						82966		4		_	IX	507		





## **Dart Aerospace Ltd** W/O: **WORK ORDER CHANGES Approval** Approval 4 DATE **STEP** PROCEDURE CHANGE By Qty Chief Eng / Date QC Inspector **Prod Mgr** Part No: \_\_\_\_\_\_ PAR #: \_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_ Date: \_\_\_\_ Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_ WORK ORDER NON-CONFORMANCE (NCR) NCR: **Corrective Action** Section B **Description of NC** Verification **Approval Approval STEP** DATE Sign & **Action Description** Initial Section A Section C Chief Eng QC Inspector **Date** Chief Eng Chief Eng

June-04-12 1:24:02 PM

Work Order ID: 85133

\*85133\*

No

Parent Item:

D350-607-511

\*D350-607-511\*

120769 121068

121444

121708

Parent Item Name: Quick Release Basket Mounting Installation

Purchased

**Start Date:** 04/06/2012

**Required Date:** 18/06/2012

Start Qty: 1.00

296.0000

3,904.000

Required Qty: 1.00

	•	\$ -> -		××
<u>Locatio</u>	<u>n</u>	Loc Qty	Loc Code	Č
357		100		
	121349	100		
ST357		196		
	120187	13		

17

100 65

Each

Each

140

Purchased

No

\*\*

S21042I 4\*

<b>Location</b>	Lo	c Qty	Loc Code			
ST300		3904				
119075		116				
121011		531				
121444		2957			_/(	2
121652		300				_
	140	Each	774.0000	32	32	
				**	<u> </u>	_

774

774





Purchased

No

1149F0432P\* Washer

> Location Loc Qty ST275 121350

Loc Code

Dart Aerospace L	Lta
------------------	-----

W/O:				<b>WORK ORDER</b>	CHANGES				,	
DATE	STEP		PROCEDUR	E CHANGE		Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval Approval
		# <sub>1</sub> . \$								
			<u>-</u>				;			
				, *****						
	÷ .					en e				

Part No: _	<del>,</del>	PAR #: 🖺	Fault Category:	NCR: Yes No DQA:	Date:
					•
***	Resolution:	•	_ Disposition:	QA: N/C Closed:	Date:

NCR:	•	<b>V</b>	ORK OR	DER NON-CONFORMANCE	E (NCR)	•		
	<u> </u>	Description of NC		Corrective Action Section B		Verification	Approval	Approval
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section C	Approval Chief Eng	QC Inspector
				·			,	
٠ 					C. sym			
		f of the state of				13th 14		
								1 3
*								



### DART AEROSPACE LTD.

**D350-607-3** Page 17 of 19

### 4.0 WEIGHT AND BALANCE

Installation	Weight	LATERAL		LONGITUDINAL	
		Arm	Moment	Arm	Momerit
D350-607-541	80.7 lb	± 49.1 in	± 3962 in-lb	135 in	10895 in-lb
(Standard Basket)	36.6 kg	± 1.25 m	± 45.8 m-kg	3.43 m	125.5 m-kg
D350-607-543	65.7 lb	± 49.1 in	± 3226 in-lb	135 in	8870 in-lb
(Lightweight Basket)	29.8 kg	± 1.25 m	± 37.3 m-kg	3.43 m	102.2 m-kg
D350-607-545	58.7 lb	± 49.1 in	± 2882 in-lb	135 in	7925 in-lb
(Standard Basket)	26.2 kg	± 1.25m	± 32.8 m-kg	3.43 m	89.9 m-kg
D350-607-547	47.7 lb	± 49.1 in	± 2342 in-lb	135 in	6440 in-lb
(Lightweight Basket)	21.6 kg	± 1.25 m	± 27.0 m-kg	3.43 m	74.1 m-kg
D350-607-511 (Quick Release Basket Mounting Kit)	7.2 lb 3.3 kg	± 36.9 in ± 0.94 m	± 266 in-lb ± 3.1 m-kg	135 in 3.43 m	972 in-lb 11.3 m-kg

#### 5.0 PARTS LIST

QTY	QTY	QTY	QTY	ر-QT-Y	QTY	PART NUMBER	DESCRIPTION
-541	-543	-545	-547	\-511	-501		
X						D350-607-541	HELI-UTILITY-BASKET
	Х					D350-607-543	HELI-UTILITY-BASKET
		X		<u> </u>		D350-607-545	HELI-UTILITY-BASKET
			X		~~~	D350-607-547	HELI-UTILITY-BASKET
1	1	1	1	Х		D350-607-511	QUICK RELEASE BASKET MOUNTING KIT
					X	D350-607-501	CONVERSION KIT
1	1	1	1	<del>  </del>	1	D2690-6	LANYARD
<b></b>		<u>'</u>	- '	_4_	4	D3910-3	-X-TÜBE LÜĞ )
1	1	1	1		1	D3912-041	EYEBOLT RECEIVER ASSY
<u> </u>		'		8	8	D3984-030	RUBBER EXTRUSION, X-TUBE /
1						D4030-041	LONG BASKET ASSY
<u> </u>	1			<del>  </del>		D4030-041	LONG BASKET ASSY, LIGHTWEIGHT
		1				D4030-043	SHORT BASKET ASSY
			1			D4032-043	SHORT BASKET ASSY, LIGHTWEIGHT
1	1	1	1	<del>  </del>	1	D4085-3	PLACARD-INSTRUCTIONS
1		1			1	D4085-3	PLACARD, MAX LOAD
	1			<del></del>	1	D4086-215	PLACARD, MAX LOAD
	<u>'</u>	1			<del>'</del>	D4086-220	PLACARD, MAX LOAD
		<del></del>	1		1	D4086-232	PLACARD, MAX LOAD
			<del></del>	1		D4000-202	FWD X-TUBE LUG ASSYI
				1	1	D4149-041	_AET.X-TUBE LUG ASSY /
1	1	1	1	<del>[</del>	<u>;</u>	D4150-041	ATTACHMENT ARM ASSY
1	1	1	1		<del>- i</del> -	D4151-041	BASKET FWD HARDPOINT ASSY (LOWER)
1	1	1	1		1	D4151-043	BASKET FWD HARDPOINT ASSY (UPPER)
						D4101-040	PACKETT VIB TO
6	6	6	6		6	AN4-13A	BOLT
				<b>L</b> 16 _	16	(AN4-14A	BOLT
1	1	1	1		1	AN4C15	BOLT
1	1	1	1		1	AN310C4	CASTELLATED NUT
1	1	1	1		1	MS17984-C413	QUICK RELEASE PIN
6	6	6	6	. 16	22	MS21042L4	NUT (OR M\$21042-4).
1	1	1	1		1	MS24665-151	COTTER PIN
2	2	2	2		2	NAS1515H4L	WASHER
12	12	12	12	32	44	NAS1149F0432P	WASHER
3	3	3	3		3	NAS1149C0463R	WASHER

COPYRIGHT © 2010 BY DART AEROSPACE LTD •

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

Revision: A

Date: 10.06.28

